



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|------------------|---|-----------------|--------|
| 3G4000-BATT | 3G4000 OPTIONAL BACKUP BATTERY (TO BE PAIRED WITH ADP1310/1320 TRANSFORMER) | 18 | 57.63 |
| 5A-2AG | 5 Amp fuse (2 AG, 125 V). | 100 | 1.28 |
| 9VADAPTER-US | UL listed transformer for the WTK5504 wireless touchscreen keypad and the HS2LCDWF PowerSeries NEO Wireless Full Message LCD PowerG 2-Way Wire-Free Keypad. 100-240 V AC 50/60HZ OUTPUT +9V | 10 | 48.30 |
| AC-100 | Acuity digital glassbreak detector with form A alarm contact. | 24 | 101.38 |
| AC-102 | Acuity digital glassbreak detector with form C alarm contact and tamper switch. | 24 | 113.44 |
| AC-500 | Acuity ceiling mount digital glassbreak detector with form A alarm contact. | 24 | 109.68 |
| ACCK-1NT | Accessory Kit 1 contains 4 Ah 12 Vdc Battery (BD4-12), RJ-31X jack and cord, 15W siren (SD-15WULF). | 6 | 64.19 |
| ACCK3 | PowerSeries Pro Accessory Kit: SD-15W dual-tone siren, TJP1000 telephone jack and cord, HS65WPSNA power adapter, and 7Ah battery. | 4 | 70.69 |
| ADC-SEM220-PS-AT | LTE/IP dual-path Alarm.com system enhancement module for DSC PowerSeries panels. (AT&T SIM) | 10 | 537.73 |
| ADC-SEM220-PS-VZ | LTE/IP dual-path Alarm.com system enhancement module for DSC PowerSeries panels. (Verizon SIM) | 10 | 537.73 |
| ADC-SEM300PS-AT | LTE/IP dual-path Alarm.com system enhancement module for DSC PowerSeries panels. (AT&T SIM) | 10 | 537.74 |
| ADP1310W-NAU | UL / ULC Listed 100-240V, AC 50/60 Hz, 13.8Vdc, 1 Amp 3-prong (w/ground wire) White Transformer. Supports Level VI efficiency which is required to meet US Department of Energy standards. Compatible with 3G4000 and 3G4010 HSPA (3G) universal wireless alarm communicators | 10 | 33.46 |
| AMB-300 | Addressable BV-300 passive infrared motion detector with tamper switch. | 24 | 96.51 |
| AMB-500 | Addressable ceiling mount passive infrared detector with tamper switch. | 24 | 123.91 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|------------------|---|-----------------|--------|
| AMP-700 | Addressable magnetic door/window contact with built-in reed switch. | 60 | 47.84 |
| AMP-701 | Addressable door/window contact with normally closed input. | 70 | 65.66 |
| AMP-702 | Addressable fire contact module with normally open, EOL resistor supervised input. | 70 | 44.94 |
| AMP-704 | Addressable 4-zone door/window contact module with normally closed, single or double EOL inputs. | 15 | 113.40 |
| AMX-400 | Addressable loop repeater/isolator module. | 15 | 76.67 |
| BATT1.3-4.8V | 4.8V - 1.3Ah Ni-MH battery (4X 1.2V powerpack) for PG9920 and PG9920CAN | 10 | 40.33 |
| BATT13.0-3.6V | 3.6V 14.5Ah "D" size replacement battery for PGX901/PGX911 indoor & outdoor sirens. * Note - This part must be ordered in carton quantity (multiples of 15). | 15 | 59.48 |
| BATT2.1-4.8V | (Package of 8) Replacement battery for WS4920HE wireless repeater and WTK5504 wireless touchscreen keypad. * Note - This part must be ordered in carton quantity (multiples of 8). | 8 | 59.46 |
| BATT-PGX901/X911 | Replacement battery for PG9901 BATT and PG9911B BATT. Must be ordered in carton quantity multiples. | 12 | 99.14 |
| BATT-PGX934P | Replacement battery for PG9934P. Must be ordered in carton quantity multiples. | 20 | 26.78 |
| BATT-PGX944 | Replacement battery for PG9944. Must be ordered in carton quantity multiples. | 32 | 39.86 |
| BD1.2-12 | 12V, 1.2AH rechargeable, sealed lead acid battery | 20 | 27.77 |
| BD2.3-12 | 12V, 2.3AH sealed lead acid battery for the Alexor distributed wireless panel. | 10 | 38.66 |
| BD3.5-6 | 6V, 3.5Ah, rechargeable, sealed lead acid battery | 10 | 44.99 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|----------|--|-----------------|--------|
| BD4-12 | 12V 4Ah rechargeable sealed lead-acid battery. | 10 | 50.82 |
| BD7-12 | 12V, 7Ah, rechargeable, sealed lead acid battery | 4 | 75.61 |
| BV-300 | Passive infrared motion detector with form A alarm contact. | 24 | 42.80 |
| BV-300D | Digital passive infrared motion detector with form A alarm contact. | 24 | 48.33 |
| BV-300DP | Digital pet Immunity passive infrared motion detector with form A alarm contact, pet immunity up to 27 kg (60 lbs). | 24 | 49.42 |
| BV-300P | Pet Immunity passive infrared motion detector with form A alarm contact, pet immunity up to 27 kg (60 lbs). | 24 | 43.90 |
| BV-302 | Passive infrared motion detector with form C alarm contact and tamper. | 24 | 81.15 |
| BV-500 | Ceiling mount passive infrared detector with form A alarm contact. | 24 | 94.97 |
| BV-500GB | Ceiling mount passive infrared detector (form A alarm contact) with integrated digital glassbreak detector (form C alarm contact) | 24 | 151.33 |
| BV-501 | Ceiling mount passive infrared detector with form A alarm contact and tamper. | 24 | 103.08 |
| BV-501GB | Ceiling mount passive infrared detector (form A alarm contact) with integrated digital glassbreak detector (form C alarm contact) and tamper switch. | 24 | 157.04 |
| BV-502 | Ceiling mount passive infrared detector with form C alarm contact and tamper. | 24 | 118.45 |
| BV-502GB | Ceiling mount passive infrared detector (form C alarm contact) with integrated digital glassbreak detector (form C alarm contact) and tamper switch. | 24 | 170.20 |
| BV-600 | Dual element pet immunity passive infrared motion detector with form A alarm contact, pet immunity up to 35 kg (85 lbs). English, French and Spanish instructions. | 12 | 101.25 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|-----------|---|-----------------|--------|
| BV-601 | Dual element pet immunity passive infrared motion detector with form A alarm contact, tamper switch, pet immunity up to 35 kg (85 lbs). English, French and Spanish instructions. | 12 | 96.81 |
| BV-602 | Dual element pet immunity passive infrared motion detector with form C alarm contact, tamper switch, pet immunity up to 35 kg (85 lbs). English, French and Spanish instructions. | 12 | 136.67 |
| BV-L1 | Wall-to-wall lens. | 10 | 10.80 |
| BV-L3 | Curtain lens . | 10 | 10.80 |
| BV-L4 | Pet-alley lens . | 10 | 10.80 |
| CL-PP1 | Battery pack for PG9200AX and PG9350SL photoelectric beam detectors. Contains 4x 3.6V 13.0Ah lithium batteries. | 1 | 287.51 |
| CMC-1 | Commercial attack resistant cabinet with metal door reinforcing plate and plate mounting screws. Houses PC1864, PC1832, PC1616, PC5008, PC585, PC580, PC5108A, PC4820. | 6 | 170.29 |
| DG-50AU | Analog glassbreak detector. | 24 | 81.54 |
| DM-C | Ceiling mount motion detector mounting bracket. | 18 | 20.85 |
| DM-CBULK | Ceiling mount motion detector mounting brackets in a plastic bag. * Note - This part must be ordered in carton quantity (multiples of 96). | 96 | 12.84 |
| DM-W | Wall mount motion detector mounting bracket. | 36 | 19.74 |
| DM-WBULK | Wall mount motion detector mounting brackets in a plastic bag. * Note - This part must be ordered in carton quantity (multiples of 96). | 96 | 12.06 |
| EC-BRKT | Bracket kit for Encore Series motion detectors. | 250 | 4.29 |
| EV-DW4917 | 433MHz wireless recessed door transmitter. | 24 | 119.50 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|-----------------|--|-----------------|----------|
| EV-DW4927SS | 433MHz wireless shock sensor with built-in door/window contact using a single serial number. | 24 | 133.19 |
| EV-DW4975 | 433MHz wireless vanishing door/window contact | 48 | 90.53 |
| HL1-CNT-001-LDZ | IQ Lockdown Z-wave door lock. | 1 | 1,180.49 |
| HS2016NK | PowerSeries Neo HS2016PCB panel and PC5003C cabinet kit. No Keypad. | 6 | 158.25 |
| HS2016NKCP01 | PowerSeries Neo HS2016PCBCP01 panel and PC5003C cabinet kit. No Keypad. | 6 | 158.25 |
| HS2016PCB | PowerSeries Neo HS2016 circuit board. No manuals. (Standard defaults) | 20 | 109.30 |
| HS2016PCBCP01 | PowerSeries Neo HS2016 circuit board. No manuals. (CP01 defaults) | 20 | 109.30 |
| HS2032NK | PowerSeries Neo HS2032PCB panel and PC5003C cabinet kit. No Keypad. | 6 | 207.46 |
| HS2032NKCP01 | PowerSeries Neo HS2032PCBCP01 panel and PC5003C cabinet kit. No Keypad. | 6 | 207.46 |
| HS2032PCB | PowerSeries Neo HS2032 circuit board. No manuals. (Standard defaults) | 20 | 158.51 |
| HS2032PCBCP01 | PowerSeries Neo HS2032 circuit board. No manuals. (CP01 defaults) | 20 | 158.51 |
| HS2064NK | PowerSeries Neo HS2064PCB panel and PC5003C cabinet kit. No Keypad. | 6 | 247.10 |
| HS2064NKCP01 | PowerSeries Neo HS2064PCBCP01 panel and PC5003C cabinet kit. No Keypad. | 6 | 247.10 |
| HS2064PCB | PowerSeries Neo HS2064 circuit board. No manuals. (Standard defaults) | 20 | 198.15 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|---------------|---|-----------------|--------|
| HS2064PCBCP01 | PowerSeries Neo HS2064 circuit board. No manuals. (CP01 defaults) | 20 | 198.15 |
| HS2128NK | PowerSeries Neo HS2128PCB panel and PC4050C cabinet kit. No Keypad. | 4 | 558.17 |
| HS2128NKCPO1 | PowerSeries Neo HS2128PCBCP01 panel and PC4050C cabinet kit. No Keypad. | 4 | 558.17 |
| HS2128PCB | PowerSeries Neo HS2128 circuit board. No manuals. (Standard defaults) | 20 | 445.83 |
| HS2128PCBCP01 | PowerSeries Neo HS2128 circuit board. No manuals. (CP01 defaults) | 20 | 445.83 |
| HS2ICN | NEO ICON Hardwired Keypad. Compatible with the HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 165.87 |
| HS2ICNENG | NEO ICON Hardwired Keypad with English function keys. Compatible with the HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 165.87 |
| HS2ICNP | NEO ICON Hardwired Keypad with Prox Support. Compatible with the HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 188.12 |
| HS2ICNPENG | NEO ICON Hardwired Keypad with English function keys and Prox Support. Compatible with the HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 188.12 |
| HS2ICNRF9 | NEO ICON Hardwired Keypad with Built-in PowerG Transceiver. Compatible with the HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 227.52 |
| HS2ICNRF9ENG | NEO ICON Hardwired Keypad with English function keys and Built-in PowerG Transceiver. Compatible with the HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 227.52 |
| HS2ICNRFP9 | NEO ICON Hardwired Keypad with Built-in PowerG Transceiver and Prox Support. Compatible with the HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 245.34 |
| HS2ICNRFP9ENG | NEO ICON Hardwired Keypad with English function keys, Built-in PowerG Transceiver and Prox Support. Compatible with the HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 245.34 |
| HS2LCD N | PowerSeries Neo full message LCD hardwired keypad. Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 295.91 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|-----------------|---|-----------------|--------|
| HS2LCDENG N | PowerSeries NEO Full Message LCD Hardwired Keypad with English function keys. Compatible with HS2016, HS2032, HS2064, and HS2128 control panels. | 10 | 295.91 |
| HS2LCDP N | PowerSeries Neo Full Message LCD Hardwired Keypad with Prox support. Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 316.80 |
| HS2LCDPENG N | PowerSeries Neo Full Message LCD Hardwired Keypad with English function keys and Prox support. Compatible with HS2016, HS2032, HS2064 and HS21218 control panels. | 10 | 316.80 |
| HS2LCDPRO | PowerSeries Pro Full Message LCD Hardwired Keypad. Compatible with HS3032, HS3128 and HS3248 control panels. | 10 | 295.94 |
| HS2LCDPROENG | PowerSeries Pro Full Message LCD Hardwired Keypad with English function keys. Compatible with HS3032, HS3128 and HS3248 control panels. | 10 | 295.94 |
| HS2LCDPS N | PowerSeries Neo Full Message LCD Hardwired Keypad with Prox support and symbol function keys. Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 292.91 |
| HS2LCDRF9 N | PowerSeries Neo full message LCD hardwired keypad with built-in PowerG transceiver. Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 371.83 |
| HS2LCDRF9ENG N | PowerSeries Neo full message LCD hardwired keypad with English function keys and built-in PowerG transceiver. Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 371.83 |
| HS2LCDRFP9 N | PowerSeries Neo Full Message LCD Hardwired Keypad with Built-in PowerG Transceiver and Prox support. Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 387.48 |
| HS2LCDRFP9ENG N | NEO Full Message LCD Hardwired Keypad with English function keys, Built-in PowerG Transceiver and Prox Support. Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 10 | 387.48 |
| HS2LCDRFPRO9 | PowerSeries Pro Full Message LCD Hardwired Keypad with Built-in PowerG Transceiver and Prox Support. Compatible with HS3032, 3128 and HS3248 control panels. | 10 | 366.66 |
| HS2LCDRFPRO9ENG | PowerSeries Pro Full Message LCD Hardwired Keypad with English function keys, Built-in PowerG Transceiver and Prox Support. Compatible with HS3032, 3128 and HS3248 control panels. | 10 | 366.66 |
| HS2LCDWF9 N | PowerSeries Neo wireless full message LCD PowerG 2-way wire-free keypad. (Symbol function keys) Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 6 | 321.75 |
| HS2LCDWF9ENG N | PowerSeries Neo wireless full message LCD PowerG 2-way wire-free keypad. (English function keys) Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 6 | 321.75 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|------------------|--|-----------------|--------|
| HS2LCDWFDMK | Deskstand kit for the PowerSeries Neo HS2LCDWF wire-free keypads. Includes a deskstand and 9V UL transformer. | 4 | 54.23 |
| HS2LCDWFP9 N | PowerSeries Neo Wireless Full Message LCD PowerG 2-Way Wire-Free Keypad with symbol function keys. Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 6 | 346.38 |
| HS2LCDWFP9ENG N | PowerSeries Neo Wireless Full Message LCD PowerG 2-Way Wire-Free Keypad with English function keys and Prox Support. Compatible with HS2016, HS2032, HS2064 and HS2128 control panels. | 6 | 346.38 |
| HS2LCDWFPRO9 | PowerSeries PRO Full Message LCD PowerG 2-Way Wire-Free Keypad. Compatible with HS3032, HS3128 and HS3248 control panels. | 6 | 396.25 |
| HS2LCDWFPRO9ENG | PowerSeries PRO Full Message LCD PowerG 2-Way Wire-Free Keypad with English function keys. Compatible with HS3032, HS3128 and HS3248 control panels. | 6 | 396.25 |
| HS2LCDWFVPRO9ENG | PowerSeries PRO Full Message LCD PowerG 2-Way Wire-Free Keypad with Prox Support and Voice Prompting. Compatible with HS3032, HS3128 and HS3248 control panels. | 6 | 465.69 |
| HS2TCHP N | PowerSeries NEO White 7" hardwired touch screen keypad. | 6 | 665.63 |
| HS2TCHPBLK N | PowerSeries NEO Black 7" hardwired touch screen keypad. | 6 | 665.63 |
| HS2TCHPRO | PowerSeries Pro White 7" hardwired touch screen keypad. Compatible with HS3032, HS3128 and HS3248 control panels. | 6 | 623.27 |
| HS2TCHPROBLK | PowerSeries Pro Black 7" hardwired touch screen keypad. Compatible with HS3032, HS3128 and HS3248 control panels. | 6 | 623.27 |
| HS3032BASE | PowerSeries Pro HS3032 panel with HS65WPSNA power adapter. (Standard defaults and English manual) | 6 | 432.36 |
| HS3032BASECP01 | PowerSeries Pro HS3032 panel with HS65WPSNA power adapter. (CP01 defaults and English manual) | 6 | 432.36 |
| HS3032-NAKIT1 | PowerSeries Pro HS3032BASE with HSC3010C cabinet, HS2LCDPRO keypad, SD-15W siren, and RJ45 telephone jack. (Standard defaults and English manual) | 2 | 887.94 |
| HS3032-NAKITCP01 | PowerSeries Pro HS3032BASECP01 with HSC3010C cabinet, HS2LCDPRO keypad, SD-15W siren, and RJ45 telephone jack. (CP01 defaults and English manual) | 2 | 887.94 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|------------------|---|-----------------|----------|
| HS3032PCB | PowerSeries Pro HS3032PCB printed circuit board only. (Standard defaults) | 20 | 378.31 |
| HS3032PCBCP01 | PowerSeries Pro HS3032PCBCP01 printed circuit board only. (CP01 defaults) | 20 | 378.31 |
| HS3128BASE | PowerSeries Pro HS3128 panel with HS65WPSNA power adapter. (Standard defaults and English manual) | 6 | 666.55 |
| HS3128BASECP01 | PowerSeries Pro HS3128 panel with HS65WPSNA power adapter. (CP01 defaults and English manual) | 6 | 666.55 |
| HS3128-NAKIT1 | PowerSeries Pro HS3128BASE with HSC3010C cabinet, HS2LCDPRO keypad, SD-15W siren, and RJ45 telephone jack. (Standard defaults and English manual) | 2 | 1,122.13 |
| HS3128-NAKITCP01 | PowerSeries Pro HS3128BASECP01 with HSC3010C cabinet, HS2LCDPRO keypad, SD-15W siren, and RJ45 telephone jack. (CP01 defaults and English manual) | 2 | 1,122.13 |
| HS3128PCB | PowerSeries Pro HS3128PCB printed circuit board only. (Standard defaults) | 20 | 612.50 |
| HS32-119 | NEO Control Panel Kit. Contains one HS2032NK control panel in a PC5003C cabinet, one HS2LCDRF9ENG Full Message LCD Hardwired Keypad with Built-in PowerG Transceiver, a BD4-12 12V, 4Ah battery, a PTD1640U standard efficiency transformer, and a SD15WULF indoor siren. | 4 | 605.77 |
| HS32-119CP01 | NEO Control Panel Kit. Contains one HS2032NK control panel with CP01 software in a PC5003C cabinet, one HS2LCDRF9ENG Full Message LCD Hardwired Keypad with Built-in PowerG Transceiver, a BD4-12 12V, 4Ah battery, a PTD1640U standard efficiency transformer, and a SD15WULF | 4 | 605.77 |
| HS32-219 | NEO Control Panel Kit. Contains one HS2032NK control panel in a PC5003C cabinet, one HS2LCDRF9 Full Message LCD Hardwired Keypad with Built-in PowerG Transceiver, one LC-100-PI pet immune PIR motion detector, a BD4-12 12V, 4Ah battery, a PTD1640U standard efficiency transformer, and | 4 | 662.98 |
| HS32-219CP01 | NEO Control Panel Kit. Contains one HS2032NK control panel with CP01 software in a PC5003C cabinet, one HS2LCDRF9 Full Message LCD Hardwired Keypad with Built-in PowerG Transceiver, one LC-100-PI pet immune PIR motion detector, a BD4-12 12V, 4Ah battery, a PTD1640U | 4 | 662.98 |
| HS3248BASE | PowerSeries Pro HS3248 panel with HS65WPSNA power adapter. (Standard defaults and English manual) | 6 | 774.63 |
| HS3248BASECP01 | PowerSeries Pro HS3248 panel with HS65WPSNA power adapter. (CP01 defaults and English manual) | 6 | 774.63 |
| HS3248-NAKIT1 | PowerSeries Pro HS3248BASE with HSC3010C cabinet, HS2LCDPRO keypad, SD-15W siren, and RJ45 telephone jack. (Standard defaults and English manual) | 2 | 1,230.22 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|------------------|--|-----------------|----------|
| HS3248-NAKITCP01 | PowerSeries Pro HS3248BASECP01 with HSC3010C cabinet, HS2LCDPRO keypad, SD-15W siren, and RJ45 telephone jack. (CP01 defaults and English manual) | 6 | 1,230.22 |
| HS3248PCB | PowerSeries Pro HS3248PCB printed circuit board only. (Standard defaults) | 20 | 720.59 |
| HS3248PCBCP01 | PowerSeries Pro HS3248PCB printed circuit board only. (CP01 defaults) | 20 | 720.59 |
| HS32-51 | NEO Control Panel Kit. Contains one HS2032NK control panel in a PC5003C cabinet, one HS2LCD Full Message LCD Hardwired Keypad, a BD7-12 12V, 7Ah battery, a PTD1640U standard efficiency transformer and a SD15WULF indoor siren. | 4 | 429.88 |
| HS32-51CP01 | NEO Control Panel Kit. Contains one HS2032NK control panel with CP01 software in a PC5003C cabinet, one HS2LCD Full Message LCD Hardwired Keypad, a BD7-12 12V, 7Ah battery, a PTD1640U standard efficiency transformer and a SD15WULF indoor siren. | 4 | 429.88 |
| HS40WPSA | 40W AC/DC power adapter. 90-240V to 18V - 2.2A. (UL/ULC) Compatible with PG9WLSHW8 and PG9HRDW8. | 30 | 69.00 |
| HS65WPSNA | 65W AC/DC power adapter with NA plug. 100-240V to 18V - 3.6A. (UL) Compatible with HSM3204CX, HSM3350, and PowerSeries Pro HS3032 / HS3138 / HS3248. | 20 | 56.74 |
| HSC3010C | PowerSeries Pro beige cabinet. | 4 | 163.97 |
| HSC3030CAR | PowerSeries Pro red attack resistant cabinet. | 4 | 218.18 |
| HSM2108 | PowerSeries Pro/NEO 8-hardwired zone expander module. Compatible with HS2016, HS2032, HS2064, HS2128, HS3032, HS3128, and HS3248 control panels. | 15 | 87.24 |
| HSM2204 | PowerSeries Pro/NEO high current output module. Compatible with HS2016, HS2032, HS2064, HS2128, HS3032, HS3128, and HS3248 control panels. | 10 | 184.88 |
| HSM2208 | PowerSeries Pro/NEO low current output module. Compatible with HS2016, HS2032, HS2064, HS2128, HS3032, HS3128, and HS3248 control panels. | 15 | 94.11 |
| HSM2300 | PowerSeries Pro/NEO power supply module. Compatible with HS2016, HS2032, HS2064, HS2128, HS3032, HS3128, and HS3248 control panels. | 10 | 154.21 |
| HSM2955 | PowerSeries Pro/NEO non-recording audio alarm verification module. Compatible with HS2016, HS2032, HS2064, HS2128, HS3032, HS3128, and HS3248 control panels. | 12 | 229.39 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|--------------|--|-----------------|----------|
| HSM2HOST9 | PowerG 915MHz host transceiver module. Compatible with HS2016, HS2032, HS2064, HS2128, HS3032, HS3128, and HS3248 control panels. | 12 | 238.75 |
| HSM3105MX | Addressable MX loop interface; supports up to 124 MX devices. | 15 | 292.00 |
| HSM3204CX NA | PowerSeries Pro 2Amp Power Supply with Bus Repeater, HS65WPSNA Power Adaptor and English Manual | 6 | 264.45 |
| HSM3204CXPCB | HSM3204CX CORBUS REPEATER MODULE PCB ONLY | 9 | 209.36 |
| HSM3350 NA | PowerSeries Pro 3Amp Power Supply with HS65WPSNA Power Adaptor and English Manual | 6 | 293.83 |
| HSM3350PCB | HSM3350 3AMP PCB ONLY | 10 | 227.37 |
| HSM3408 | PowerSeries Pro 8 Zone Expander with removable Terminals | 10 | 110.19 |
| HSM3632C | Cabinet and accessories for HSM3632 graphic annunciator. It can accommodate up to 8 HSM2208 modules and 32 LEDs. | 1 | 495.00 |
| HSM3664C | Cabinet and accessories for HSM3664 graphic annunciator. It can accommodate up to 16 HSM2208 modules and 64 LEDs. | 1 | 574.20 |
| IQPR001M | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG) and 319MHz. (Verizon SIM) | 4 | 1,336.50 |
| IQPR001P | IQ Pro panel in plastic enclosure. Supported frequencies: 915MHz (PowerG) and 319MHz. (Verizon SIM) | 6 | 1,143.90 |
| IQPR002M | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG) and 433MHz. (Verizon SIM) | 4 | 1,336.50 |
| IQPR002P | IQ Pro panel in plastic enclosure. Supported frequencies: 915MHz (PowerG) and 433MHz. (Verizon SIM) | 6 | 1,143.90 |
| IQPR003M | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG) and 345MHz. (Verizon SIM) | 4 | 1,336.50 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|--------------|---|-----------------|----------|
| IQPR003P | IQ Pro panel in plastic enclosure. Supported frequencies: 915MHz (PowerG) and 345MHz. (Verizon SIM) | 6 | 1,143.90 |
| IQPR004M | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG) and 319MHz. (AT&T SIM) | 4 | 1,336.50 |
| IQPR004M-NZW | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG) and 319MHz. (AT&T SIM, no Z-Wave support) | 4 | 1,336.50 |
| IQPR004P | IQ Pro panel in plastic enclosure. Supported frequencies: 915MHz (PowerG) and 319MHz. (AT&T SIM) | 6 | 1,143.90 |
| IQPR005M | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG) and 433MHz. (AT&T SIM) | 4 | 1,336.50 |
| IQPR005P | IQ Pro panel in plastic enclosure. Supported frequencies: 915MHz (PowerG) and 433MHz. (AT&T SIM) | 6 | 1,143.90 |
| IQPR006M | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG) and 345MHz. (AT&T SIM) | 4 | 1,336.50 |
| IQPR006P | IQ Pro panel in plastic enclosure. Supported frequencies: 915MHz (PowerG) and 345MHz. (AT&T SIM) | 6 | 1,143.90 |
| IQPR017M | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG). (Verizon SIM) | 4 | 1,259.70 |
| IQPR017P | IQ Pro panel in plastic enclosure. Supported frequencies: 915MHz (PowerG). (Verizon SIM) | 6 | 1,075.50 |
| IQPR019M | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG). (AT&T SIM) | 4 | 1,259.70 |
| IQPR019M-NZW | IQ Pro panel in metal enclosure. Supported frequencies: 915MHz (PowerG). (AT&T SIM, no Z-Wave support) | 4 | 1,259.70 |
| IQPR019P | IQ Pro panel in plastic enclosure. Supported frequencies: 915MHz (PowerG). (AT&T SIM) | 6 | 1,075.50 |
| IT-100 | Serial Integration Module for DSC PowerSeries Control Panels. Interfaces with 3rd party home or building automation applications. | 19 | 192.82 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|-----------------|--|-----------------|--------|
| IT-230 ADT | PowerSeries/Premise Pro RS422 ADT Pulse Interface Module. | 10 | 197.09 |
| K-209661 | Adhesive tape kit for PG9303 sensors and its variants. (10pk) | 10 | 18.37 |
| KIT32-16CP01NT | PowerSeries 8-32 zone hybrid wireless ready control panel w/large cabinet and CP-01 software. Includes RFK5501ENG 64 zone picture icon keypad with English text keymat and built-in wireless receiver, and ACCK-1NT accessory kit with 12V, 4Ah battery; jack and cord and SD15WULF indoor | 4 | 439.38 |
| KONO-SB | LUX KONOZW DECOR SNAP COVER - SKY BLUE | 4 | 34.49 |
| KONO-SG | LUX KONOZW DECOR SNAP COVER - SEA GREEN | 4 | 34.49 |
| KONO-SMB | LUX KONOZW DECOR SNAP COVER - SEA MIST GREY | 4 | 34.49 |
| KONOZW | Lux KonoZW Smart Z-wave Thermostat | 4 | 293.94 |
| L-1 | Cabinet lock with 2 keys. | 100 | 7.23 |
| LC-100-PI | LC-100-PI Passive Infrared Motion Detectors with Pet Immunity up to 55 lbs (25 kg), Form A, Quad Linear Imaging Technology, and PIR sensitivity adjustment. | 48 | 34.38 |
| LC-103-PIMSK-W | Passive Infrared Motion Detector with Anti-Masking and Microwave Detection based on Doppler concept, Pet Immunity up to 55 lbs (25 kg), Form A, Quad Linear Imaging Technology. | 24 | 168.13 |
| LC-104-PIMW-W | Passive Infrared Motion Detector with Microwave detection based on Doppler concept, Pet Immunity up to 55 lbs (25 kg), Form A, Quad Linear Imaging Technology. | 24 | 129.65 |
| LC-124-PIMW-WNL | Passive Infrared Motion Detector with Microwave detection based on Doppler concept, Pet Immunity up to 55 lbs (25 kg), Form C, Quad Linear Imaging Technology. No Logo. For sale to ADT only. | 24 | 143.39 |
| LC-B1-15X | Optional bracket for the LC-151 outdoor motion detector. | 12 | 36.55 |
| LCD-4501 | MAXSYS programmable message LCD keypad with 5 function keys. | 12 | 425.63 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|-----------------|--|-----------------|--------|
| LC-L1-15X | (Package of 6) Corridor lens for the LC-151 outdoor motion detector. | 12 | 81.30 |
| LC-L1-CL-12PK | (Package of 12) Curtain/Corridor lens for all LC series indoor motion detectors. | 1 | 51.74 |
| LC-L1ST | Optional mounting bracket for use with the LC Series of motion detectors. Allows ceiling or wall mounting of the LC Series | 50 | 4.40 |
| LE2077-ADTAT | IMPASSA LTE/3G dual internal antenna alarm communicator in plastic enclosure. (AT&T SIM) - Exclusive to ADT LLC | 6 | 471.10 |
| LE2077-AT | IMPASSA LTE/3G dual internal antenna alarm communicator in plastic enclosure. (AT&T SIM) | 6 | 471.10 |
| LE2080-AT | PowerSeries NEO LTE alarm communicator. (AT&T SIM) | 10 | 467.42 |
| LE2080R-AT | PowerSeries NEO LTE alarm communicator with RS-232 serial connection. (AT&T SIM) | 10 | 491.72 |
| LE4000-AT | Universal intrusion LTE alarm communicator with 2 inputs/outputs in plastic enclosure. (AT&T SIM) | 6 | 321.99 |
| LE4000E-AT | Universal intrusion LTE alarm communicator with 2 inputs/outputs in plastic enclosure. (AT&T SIM) | 6 | 321.99 |
| LE4000E-AT PCB | Universal intrusion LTE alarm communicator PCB with 2 inputs/outputs. (AT&T SIM) | 6 | 269.94 |
| LE4000ERF-ADTAT | Universal intrusion LTE alarm communicator with 2 inputs/outputs, transformer, and battery in plastic enclosure. (AT&T SIM) - Exclusive to ADT LLC | 6 | 371.15 |
| LE4010-AT | Universal intrusion LTE alarm communicator with 4 inputs/outputs in metal enclosure. (AT&T SIM) | 6 | 389.69 |
| LE4010CF-AT | Universal commercial fire LTE alarm communicator. (AT&T SIM) | 3 | 742.29 |
| LE4010CF-ATUPG | 3G to LTE upgrade kit for 3G3070CF and 3G4010CF. Includes LE4010CF PCB circuit board, LTE antenna, and AT&T SIM. | 20 | 326.96 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|-----------|--|-----------------|--------|
| LE9080-US | PowerSeries Pro LTE alarm communicator. (AT&T SIM) | 10 | 217.26 |
| LTE-15ANT | 15 ft. indoor/outdoor antenna extension kit with mounting bracket for LTE communicators. | 6 | 156.20 |
| LTE-25ANT | 25 ft. indoor/outdoor antenna extension kit with mounting bracket for LTE communicators. | 6 | 267.00 |
| LTE-50ANT | 50 ft. indoor/outdoor antenna extension kit with mounting bracket for LTE communicators. | 4 | 317.57 |
| LTE-8ANTP | IMPASSA Dual LTE Extension Antenna. Contains dual antenna and mounting hardware. | 1 | 145.92 |
| MPT 8PK | PowerG 915MHz mini wireless proximity tags. (Package of 8) | 20 | 42.85 |
| MX862 | Addressable MX ceiling mount PIR. | 24 | 99.00 |
| MX916 | Addressable MX smoke/heat. | 20 | 105.00 |
| MX920 | Addressable MX isolator. | 35 | 120.00 |
| MX922 | Addressable MX glassbreak. | 25 | 99.00 |
| MX926 | Addressable MX smoke. | 20 | 111.00 |
| MX936 | Addressable MX heat. | 20 | 105.00 |
| MX974 | Addressable MX PIR with pet immunity. | 4 | 105.00 |
| MX975 | Addressable MX door/window contact. | 48 | 69.00 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|---------------|--|-----------------|--------|
| MXFBASE | Addressable MX fire base. | 200 | 11.70 |
| PC1404PCB | PC1404 board only with quick reference user guide and one English install manual per carton. | 10 | 95.23 |
| PC1404PCBCP01 | PC1404 CP01 board only with quick reference user guide and English install manual. | 10 | 95.23 |
| PC1404RKZ | PC1404RKZ Yellow backlight keypad with multi language installation sheet. | 10 | 96.63 |
| PC1404SNKCP01 | PC1404 CP01 panel with small cabinet, quick reference user guide and English install manual. No keypad. | 10 | 174.91 |
| PC1616NKCP01 | PowerSeries 6-16 zone hybrid control panel w/CP-01 software, large cabinet and English manuals. | 6 | 175.46 |
| PC1616PCBCP01 | PowerSeries 6-16 zone hybrid control panel PCB only w/CP-01 software. | 20 | 181.76 |
| PC1616SNK | PowerSeries 6-16 zone hybrid control panel in small cabinet with English installation manual & English/French/Spanish user manual. | 10 | 163.66 |
| PC1832NK | PowerSeries 8-32 hybrid zone control panel in large cabinet with English installation manual & English/French/Spanish user manual. | 6 | 227.05 |
| PC1832PCBCP01 | PowerSeries 8 Zone hybrid control panel w/CP-01 software, expandable to 32 zones, PCB only. | 20 | 232.39 |
| PC1864NK | PowerSeries 8-64 zone hybrid control panel in large cabinet with English Installation manual & English/French/Spanish user manual. | 6 | 290.67 |
| PC1864NKCP01 | PowerSeries 8 Zone hybrid control panel w/CP-01 software, expandable to 64 zones, w/ large cabinet and English manuals. | 6 | 290.67 |
| PC4001C | MAXSYS large cabinet. | 4 | 148.37 |
| PC4003C | MAXSYS small cabinet. | 10 | 55.13 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|-------------|---|-----------------|----------|
| PC4020NK | MAXSYS 16-128 zone control panel with cabinet. | 4 | 807.06 |
| PC4020PCB | MAXSYS 16-128 zone control panel PCB only. | 20 | 721.54 |
| PC4020SP | MAXSYS 16-128 zone control panel with LCD4501 keypad (Spanish). | 4 | 1,151.66 |
| PC4020-XFRM | 120V 60 Hz transformer for PC4020CF. | 10 | 67.54 |
| PC4050C | PowerSeries Neo / MAXSYS cabinet. | 4 | 117.96 |
| PC4050CR | MAXSYS large red cabinet. | 4 | 179.84 |
| PC4051C | MAXSYS multi-purpose cabinet. | 5 | 117.78 |
| PC4052C | MAXSYS beige cabinet 12"H X 12"W X 4.5"D | 4 | 123.00 |
| PC4053C | MAXSYS beige cabinet 11"H X 11.5"W X 3"D | 6 | 61.87 |
| PC4054C | MAXSYS beige cabinet 8.6"H X 6.7"W X 2.5"D | 10 | 69.74 |
| PC4108 | MAXSYS 8 zone hardwire zone expander. | 15 | 212.27 |
| PC4116 | MAXSYS 16 zone hardwire zone expander. | 10 | 333.46 |
| PC4204 | MAXSYS power supply/4-relay output module. | 10 | 261.64 |
| PC4204CX | MAXSYS power supply/4-relay output/COMBUS extender module. | 20 | 341.91 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|------------|---|-----------------|----------|
| PC4216 | MAXSYS 16 zone low voltage output module. | 10 | 239.56 |
| PC4401 | MAXSYS bi-directional RS232 data interface module. | 10 | 280.17 |
| PC4600LA-G | Set of 16 green LED assemblies. | 1 | 370.18 |
| PC4600LA-M | Set of 16 LED assemblies containing 10 red, 5 yellow and 1 green. | 1 | 370.18 |
| PC4600LA-R | Set of 16 red LED assemblies. | 1 | 370.18 |
| PC4600LA-Y | Set of 16 yellow LED assemblies. | 1 | 370.18 |
| PC4632 | MAXSYS 32 point graphic annunciator. | 1 | 627.59 |
| PC4664 | MAXSYS 64 point graphic annunciator. | 5 | 1,202.55 |
| PC4701 | MAXSYS dual-line dialer module. | 10 | 310.18 |
| PC4820 | MAXSYS 2-reader access control module in cabinet. | 6 | 1,137.51 |
| PC4820PCB | MAXSYS 2-reader access control module, PCB only. | 10 | 1,102.07 |
| PC5001C | PowerSeries small metal cabinet. | 20 | 51.40 |
| PC5001CP | PowerSeries small plastic cabinet. | 12 | 35.50 |
| PC5002C | PowerSeries cabinet for PC5204 module. | 10 | 33.87 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|------------|---|-----------------|--------|
| PC5003C | PowerSeries Neo metal cabinet. | 6 | 51.40 |
| PC5004C | PowerSeries cabinet for ESCORT5580 or PC5400 modules. | 10 | 58.40 |
| PC5100 | PowerSeries addressable device zone expander. | 15 | 120.47 |
| PC5200 | PowerSeries 1 amp power supply module. | 10 | 189.90 |
| PC5208 | PowerSeries 8 low voltage output module. | 15 | 117.84 |
| PC5400 | PowerSeries printer interface module. | 10 | 271.10 |
| PC5601 | PowerSeries tri-color LED status module. | 12 | 69.25 |
| PC5950 | Universal 2-way VOX audio verification module. | 10 | 246.91 |
| PC5961 | White audio station for use with PC5950 audio verification module. Designed for use in average sized rooms. | 18 | 82.33 |
| PC5961E | Small audio vox door station for use with the HSM2955 audio verification module. | 18 | 71.69 |
| PC5964 | White stand-alone audio station for use with PC5950 audio verification module. Designed for use in large areas. | 12 | 114.18 |
| PC5964E | Large audio vox door station for use with the HSM2955 audio verification module. | 12 | 93.78 |
| PCL-422 | NEO Communicator Remote Mounting Module | 15 | 74.25 |
| PCLINK-5WP | PCLINK local download Kit. Included 5 pin connector with transformer and 4 international plugs. | 10 | 109.04 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|-------------|---|-----------------|----------|
| PC-LINKEXP | Spare interconnect cable between TLINK-TL250 internet alarm communicator and DSC control panels. | 10 | 24.36 |
| PCLINK-SCW | 7' DLS programming connector cable for SCW447 and IMPASSA systems. Compatible with standard PCLINK boards. | 20 | 45.72 |
| PCLINK-USB | PCLINK-USB Local download kit. Includes the PCLINK adaptor, connecting cable, DB-9 serial connector and a USB-Serial Adaptor. | 12 | 198.03 |
| PG9200AX | PowerG 915MHz wireless photoelectric beam detector with 200ft detection range. Requires 1x CL-PP1 battery pack (sold separately). | 6 | 1,620.22 |
| PG9303 | PowerG 915MHz wireless door/window magnetic contact. (White) | 48 | 81.81 |
| PG9303BR | PowerG 915MHz wireless door/window magnetic contact. (Brown) | 48 | 81.81 |
| PG9307 | PowerG 915MHz wireless recessed contact. | 48 | 126.61 |
| PG9307TR | PowerG 915MHz wireless recessed contact. (Transparent) | 48 | 126.61 |
| PG9309 | PowerG 915MHz wireless commercial magnetic contact with auxiliary input. | 48 | 86.05 |
| PG9312 | PowerG 915MHz wireless outdoor magnetic contact. | 48 | 179.27 |
| PG9350SL | PowerG 915MHz wireless photoelectric beam detector with 350ft detection range. Requires 1x CL-PP1 battery pack (sold separately). | 2 | 2,719.53 |
| PG9862 | PowerG 915MHz wireless 360 degree ceiling-mount PIR detector. | 24 | 204.60 |
| PG9872 | PowerG 915MHz wireless long range 360 degree ceiling-mount PIR detector. | 12 | 232.72 |
| PG9901 BATT | PowerG 915MHz wireless indoor siren. Includes 1x BATT-PGX901/X911 battery. | 6 | 208.06 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|--------------|---|-----------------|--------|
| PG9902 | PowerG 915MHz wireless outdoor curtain PIR detector. | 24 | 229.47 |
| PG9905 | PowerG 915MHz wireless temperature detector. | 6 | 134.26 |
| PG9911B BATT | PowerG 915MHz wireless outdoor siren with blue lens. Includes 1x BATT-PGX901/X911 battery. | 4 | 374.64 |
| PG9914 | PowerG 915MHz wireless PIR motion detector. Pet immunity up to 85lbs. | 30 | 173.62 |
| PG9920 | PowerG 915MHz wireless repeater. | 6 | 275.24 |
| PG9922 | PowerG 915MHz wireless glass break detector. | 25 | 221.55 |
| PG9924 | PowerG 915MHz wireless curtain PIR motion detector. | 12 | 134.26 |
| PG9929 | PowerG 915MHz wireless slimline 4-button key. | 48 | 101.68 |
| PG9933 | PowerG 915MHz wireless carbon monoxide detector. | 20 | 213.76 |
| PG9934P | PowerG 915MHz wireless PIR motion detector with built-in camera. Pet immunity up to 85lbs. Includes 1x BATT-PGX934P battery. | 6 | 314.20 |
| PG9935 | PowerG 915MHz wireless shock detector. | 12 | 126.66 |
| PG9936 | PowerG 915MHz wireless smoke and heat detector. | 20 | 217.39 |
| PG9936H | PowerG 915MHz wireless heat detector with tamper. Compatible with IQ Panel 2+, IQ Panel 4, IQ4 Hub, and IQ4 NS. | 20 | 141.08 |
| PG9938 | PowerG 915MHz wireless panic key. | 48 | 102.37 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|-------------|--|-----------------|--------|
| PG9939 | PowerG 915MHz wireless 4-button key. | 48 | 78.49 |
| PG9944 | PowerG 915MHz wireless outdoor PIR motion detector with built-in camera. Pet immunity up to 85lbs. Includes 2x BATT-PGX944 batteries. | 6 | 801.62 |
| PG9945 | PowerG 915MHz wireless door/window contact with auxiliary input. (White) | 48 | 77.35 |
| PG9945BR | PowerG 915MHz wireless door/window contact with auxiliary input. (Brown) | 48 | 77.35 |
| PG9949 | PowerG 915MHz wireless 2-button key. | 48 | 68.86 |
| PG9974P | PowerG 915MHz wireless mirror optic PIR motion detector. Pet immunity up to 85lbs. | 4 | 158.68 |
| PG9975 | PowerG 915MHz wireless vanishing door/window contact. | 48 | 88.72 |
| PG9975BR | PowerG 915MHz wireless vanishing door/window contact. (Brown) | 48 | 88.72 |
| PG9984P | PowerG 915MHz wireless dual technology (PIR & MW) motion detector. Pet immunity up to 85lbs. | 6 | 206.32 |
| PG9985 | PowerG 915MHz wireless flood detector. | 12 | 138.61 |
| PG9994 | PowerG 915MHz wireless outdoor motion detector. | 6 | 473.51 |
| PG9HRDW8 | PowerG 915MHz wireless to hardwired converter in a large plastic enclosure. Certifications: UL, ULC, FCC, IC. | 6 | 331.49 |
| PG9WLSHW8 | PowerG 915MHz wireless to hardwired converter in a small plastic enclosure. Certifications: UL, ULC, FCC, IC. | 6 | 279.66 |
| PGBRACKET-1 | Wall mounting bracket for PowerG PIR motion detectors. Must be order in multiples of 50. | 50 | 11.18 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|---------------|---|-----------------|--------|
| PGBRACKET-2 | Corner mounting bracket for PowerG PIR motion detectors. Must be ordered in multiples of 25. | 25 | 12.04 |
| PGBRACKET-3 | Ceiling mounting bracket for PowerG PIR motion detectors. Must be ordered in multiples of 30. | 30 | 13.55 |
| PGTEMP-PROBE | External temperature probe for PG9905 temperature detector. | 1 | 109.47 |
| PK5500 ADT | 64 zone full message LCD keypad with private labeled ADT lens for DSC PowerSeries control panels. ADT Dealer 64 Zone full message LCD keypad for DSC PowerSeries control panels. | 12 | 379.13 |
| PK5500ENG ADT | 64 zone full message LCD keypad with private labeled ADT lens and English function keys for DSC PowerSeries control panels. | 12 | 379.13 |
| PK5501 | 64 zone picture icon LCD keypad for DSC PowerSeries control panels. | 12 | 191.63 |
| PK5508 | 8 zone LED keypad for DSC PowerSeries control panels. | 12 | 176.62 |
| PK5508 ADT | 8 zone LED keypad with private labeled ADT lens for DSC PowerSeries control panels. | 12 | 176.62 |
| PK5508BLK | 8 zone LED keypad with black bezel for DSC PowerSeries control panels. | 12 | 176.62 |
| PK5516ENG | 16 zone LED keypad with English function keys for DSC PowerSeries control panels. | 12 | 191.63 |
| PKBASEWLOGO | PK and RFK keypad base plastic with door and DSC logo. | 12 | 7.62 |
| PRM-2W | Polarity reversal module (PCB only) for 2-wire smoke detector interconnect. | 15 | 64.20 |
| PRM-2WC | Polarity reversal module (in plastic case) for 2-wire smoke detector interconnect. | 15 | 78.33 |
| PRM-4W | Polarity reversal module (PCB only) for 4-wire smoke detector interconnect. | 15 | 64.20 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|------------|--|-----------------|--------|
| PRM-4WC | Polarity reversal module (in plastic case) for 4-wire smoke detector interconnect. | 15 | 78.33 |
| PS1520 | 1.5 Amp, 6-12 Vdc generic power supply. | 20 | 49.37 |
| PS3020 | 3 Amp, 6-12 Vdc generic power supply. | 15 | 70.04 |
| PS3085 | 3 Amp, 12 Vdc generic power supply. | 10 | 115.75 |
| PT4 | Proximity tag to be used with the WT5500P | 48 | 30.10 |
| PTC1620U | Energy Efficiency Plug-in Transformer, 16V 20VA, UL approved. | 6 | 24.79 |
| PTD1640U | 16V 40VA plug-in AC/DC transformer. (UL approved) | 6 | 24.79 |
| PTK5507W | White hardwired touch screen keypad for PowerSeries control panels. | 6 | 745.00 |
| RF5132-433 | PowerSeries 32 zone 433MHz wireless receiver module. Supports 16 wireless keys fobs. | 10 | 199.15 |
| RL4-LC | Low current 4 relay board. | 20 | 70.79 |
| RM-1 | Single relay module with wire leads. | 50 | 18.51 |
| RM-1C | Single relay module with terminals. . (ULC listed in Canada.) | 50 | 21.77 |
| RM-1UL | Single relay module with wire leads, UL listed. | 50 | 29.71 |
| RM-2 | End-of-line power supervision relay (for 4-wire smoke detectors). | 10 | 59.48 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|---------------|--|-----------------|----------|
| SCW457J | IMPASSA self-contained, LTE-ready 64 zone wireless alarm system with built-in two-way voice. Includes JP1000 telephone jack and cord, PTD1640U transformer, and SCW-BATTERYHC battery. (CP01 defaults and English manual) | 6 | 587.41 |
| SCW457LEADT | IMPASSA self-contained 64 zone wireless alarm system with built-in two-way voice and LTE/3G dual internal antenna communicator (AT&T SIM). Includes JP1000 telephone jack and cord, PTD1640U transformer, and SCW-BATTERYHC battery. | 6 | 1,090.90 |
| SCW457LEAT | IMPASSA self-contained 64 zone wireless alarm system with built-in two-way voice and LTE/3G dual internal antenna communicator (AT&T SIM). Includes JP1000 telephone jack and cord, PTD1640U transformer, and SCW-BATTERYHC battery. | 6 | 1,090.90 |
| SCW9057DMK | Desktop stand with power cable for IMPASSA alarm systems. | 4 | 87.39 |
| SCW9057DOOR | Replacement door for IMPASSA alarm systems with inner door label and installation instructions. | 60 | 10.69 |
| SCW-BATTERY | 7.2V 1.5Ah Ni-MH battery for SCW447 alarm systems. | 10 | 97.15 |
| SCW-BATTERYHC | 7.2V 3.6Ah Ni-MH battery for IMPASSA alarm systems. | 10 | 119.03 |
| SD-15W | 15 Watt dual-tone surface mount siren. | 40 | 16.37 |
| SD-15WULF | 15 watt, dual-tone surgace mounted syren. (UL Listed for Fire & Burglary) | 40 | 17.49 |
| SD-20W | 20 Watt dual-tone siren. | 24 | 17.49 |
| SD-30W | 30 Watt dual-tone siren. | 12 | 29.50 |
| SDM-100 | Dual tone siren driver. | 20 | 42.36 |
| SP-ESCORT5580 | PowerSeries telephone interface and automation control module (Spanish). | 10 | 194.08 |
| SS-102 | Shock sensor with pulse count. | 48 | 73.80 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|---------------|--|-----------------|----------|
| STANDOFFS-PCB | Circuit board standoffs (3/8") for cabinets. | 1000 | 0.49 |
| T-1 | Tamper switch. | 20 | 19.83 |
| TB-1 | Tamper bracket for PC5003C cabinet. | 50 | 5.95 |
| TJP1000 | RF31X-UL50 telephone jack and 2' cord. | 50 | 7.44 |
| TL-150 | Residential IP alarm communicator. | 18 | 293.90 |
| TL255-NA | IP alarm communicator for LTE-ready IMPASSA alarm systems. | 6 | 314.54 |
| TL260R-NA | PowerSeries IP Alarm Communicator w/RS-422 Interface to C24-HUB | 10 | 339.35 |
| TL280E | PowerSeries NEO Internet Alarm Communicator. | 10 | 272.66 |
| TL280LE-AT | PowerSeries NEO LTE/IP dual-path alarm communicator (AT&T SIM) | 10 | 590.06 |
| TL280LER-AT | PowerSeries NEO LTE/IP dual-path alarm communicator with RS-232 serial connection. (AT&T SIM) | 10 | 618.98 |
| TL280RE | PowerSeries NEO Internet Alarm Communicator. for use with Kantech Entrapass for serial integration. Compatible with Entrapass V6.02. | 10 | 298.89 |
| TL300 | Universal IP alarm communicator with PC5003C cabinet. | 1 | 657.96 |
| TL300CF | KIT for Comercial Fire with TL300 Universal IP Alarm Communicator, Transformer, and Power Supply in the PC4050CR cabinet. | 2 | 1,119.17 |
| TL8055LTVZ | IMPASSA Alarm.com Verizon Dual-Path LTE/IP Communicator with back plastic and antennas | 6 | 412.65 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|------------------|---|-----------------|----------|
| TL880LECAT N | PowerSeries PRO/NEO LTE/IP dual-path alarm communicator with image sensor functionality and built-in Z-wave. Exclusive to Alarm.com services. (AT&T SIM) | 10 | 571.06 |
| TL880LECVZ N | PowerSeries PRO/NEO LTE/IP dual-path alarm communicator with image sensor functionality and built-in Z-wave. Exclusive to Alarm.com services. (Verizon SIM) | 10 | 571.06 |
| T-LINKTL250 | Internet alarm communicator. | 10 | 623.68 |
| WEBSA-ADDON1 | WebSA Add-on 1 Year Activation Code. | 1 | 5,567.17 |
| WEBSA-ADDONTRIAL | WebSA Add-On 60-Day Trial Activation Code | 1 | - |
| WEBSA-STNDALONE1 | WebSA Standalone 1 Year Activation Code. | 1 | 944.10 |
| WEBSA-WORKGROUP1 | WebSA Work Group 1 Year Activation Code. | 1 | 4,453.74 |
| WLS922L-433 | Wireless 433 MHz glassbreak detector with lithium batteries. (North America) | 18 | 224.19 |
| WS4904P | Wireless 433 MHz passive infrared motion detector with pet immunity up to 60 lbs (27 kg) and lithium batteries. | 12 | 226.19 |
| WS4933 | 433Mhz wireless CO Detector. Compatible with Alexor, Impassa and PowerSeries V4.5. | 20 | 224.10 |
| WS4936 | Wireless 433 MHz photoelectric smoke detector with built-in heat detector (UL / ULC). | 20 | 203.05 |
| WS4939 | Wireless 433 MHz 4-button wireless key fob with multifunction clip. | 48 | 97.78 |
| WS4945 | 433MHz wireless door/window contact w/normally closed external contact input, PCB antenna, case and wall tamper. English/French/Spanish installations instructions. | 40 | 90.65 |
| WS4945-4955MAG | Magnet pack for WS4945 wireless door/window contact. | 50 | 8.39 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|--------------|---|-----------------|--------|
| WS4945BN | 433MHz wireless door/window contact in brown plastics, w/normally open external contact input, PCB antenna, case and wall tamper. English/French/Spanish installations instructions. | 40 | 90.65 |
| WS4945N | 433MHz wireless door/window contact w/normally open external contact input, PCB antenna, case and wall tamper. English/French/Spanish installations instructions. | 40 | 90.65 |
| WS4985 | Wireless Flood Detector. | 12 | 132.64 |
| WS9LCDWF9 | IOTEGA Wireless Full Message LCD PowerG 2-Way Wire-Free Keypad. Compatible with WS900 control panel. | 6 | 286.51 |
| WT4901 | 2 way wireless Indoor siren sounding at 85dB. | 12 | 154.74 |
| WT4911B | 2 way wireless outdoor siren with blue strobe. | 4 | 339.33 |
| WT4911BATT | D cell lithium batteries for WT4911 two way wireless outdoor siren. * Note - This part must be ordered in carton quantity (multiples of 20). | 20 | 37.63 |
| WT4911R | 2 way wireless outdoor siren with Red strobe. | 4 | 288.73 |
| WT4989 | 2 way wireless key with ICON display. | 24 | 116.06 |
| WT5500DMK | Accessory kit for the WT5500 keypad which includes only the deskstand and AC transformer. | 6 | 51.58 |
| WT5500PADTHE | ADT Branded 2-Way Wireless Wire-Free Keypad with 2x16 full alpha display, high efficiency transformer, proximity reader and one PT4 prox tag. Featuring ENG/FRE/SPA/POR/ITA/GER/DUT/POL languages. Installation Instruction and inner door sticker language included. | 6 | 405.51 |
| WT5500X | High efficiency transformer for the WT5500 two-way wireless keypad. | 12 | 28.37 |
| WTK5504ADT | Wireless touchscreen keypad with English/Spanish manuals. (ADT Dealer) | 6 | 424.43 |
| WTK5504D | Wireless touchscreen keypad with deskstand and English/Spanish manuals. | 6 | 441.23 |



US Price List (MSRP) in USD
DSC Products
Effective December 1st, 2023

| Model # | Description | Carton Quantity | MSRP |
|--------------|--|-----------------|--------|
| WTK5504DMK | Desktop stand for WTK5504 wireless touchscreen keypad. | 10 | 25.47 |
| WTK5504NTADT | Wireless touchscreen keypad with English/Spanish manuals. Transformer not included. (ADT Dealer) | 6 | 324.71 |
| WTK5504P | Wireless touchscreen keypad with proximity reader and English/Spanish manuals. | 6 | 422.59 |
| WTK5504PD | Wireless touchscreen keypad with proximity reader, deskstand and English/Spanish manuals. | 6 | 436.59 |
| WTK5504WMK | Wall mount replacement pack for WTK5504 wireless touchscreen keypad. | 6 | 18.19 |